

Dell/Windows Configurations

California Polytechnic State University

FWP :: Summer 2000

FINAL



	Model A (Std & Pro)	Model B (Technical)	Model C (Std. & Pro)	Model D (Technical)
Model	OptiPlex GX110	OptiPlex GX110	Latitude LS	Latitude CPxJ
Configuration	Midsized Desktop	Tower	Ultra-Light	Expandable
Processor	667MHz PIII	733MHz PIII	400MHz PIII	650MHz PIII
RAM (MB)	128	256	128	128
Hard Disk (GB)	15	20	12	12
Floppy	Built-in	Built-in	External Floppy	Built-in
Removable Media	Built-in DVD & Zip 250	Built-in DVD & Zip 250	External DVD & USB Zip 250	Built-in DVD, Ext. USB Zip 250
Ethernet	Built-in 10/100	Built-in 10/100	Built-in 10/100	PCMCIA 10/100
Modem	None	None	Built-in 56K	PCMCIA 56K
Ports	2 USB	2 USB	2 USB	2 USB
Media Bays / Slots	2 / 3	3 / 5	none	1 / n/a
Sound	Ext. H.K. Speakers	Ext. H.K. Speakers	Built-in	Built-in
Monitor	Dell Trinitron 17"	Dell Trinitron 19"	Built-in 12"	Built-in 14"
Nylon Carrying Case	n/a	n/a	Included	Included
3 year warranty	Included	Included	Included	Included

Dell Models

California Polytechnic State University
FWP Phase IV :: Summer 2000

Model A - Desktop (Standard)

Dell OptiPlex GX110 Midsize Desktop, PIII 667MHz, 128MB Non-ECC SDRAM (1 DIMM), 15GB EIDE HD, 3.5" Floppy Drive, 8X EIDE DVD-ROM, Internal Zip 250, Integrated NIC, Integrated Intel 3D Graphics, Dell P780 UltraScan Trinitron Monitor, Sound Blaster AudioPCI (64 Voice) for use with Optical Device, Harmon/Kardon Speakers, Quietkey Keyboard, Dell Mouse, Dell Mouse Pad, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.

- A** Service.
- A1** Add an additional 128MB Non-ECC SDRAM (2 DIMMs, 256MB total)
- A2** Substitute a Dell P991 Monitor
- A3** Add an additional 128MB (2 DIMMs, 256MB total) and substitute a Dell P991 Monitor.
- A4** Image with Windows NT

Model B - Mini-Tower (Professional & Technical)

B

Dell OptiPlex GX110 Mini-Tower, PIII 733MHz, 256MB Non-ECC SDRAM (2 DIMMs), 20.0GB EIDE HD, 3.5" Floppy Drive, 8X EIDE DVD-ROM, Internal Zip 250, Integrated NIC, Integrated Intel 3D Graphics, Dell P991 Monitor, Sound Blaster AudioPCI (64 Voice) for use with Optical Device, Harmon/Kardon Speakers, Quietkey Keyboard, Dell Mouse, Dell Mouse Pad, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.

- B2** Substitute a Dell P1110 Monitor
- B3** Add an additional 128MB (2 DIMMs, 384MB total) and substitute a Dell P1110 Monitor.
- B4** Image with Windows NT
- B6** Image w/Win NT, substitute a Dell P1110 Monitor

Model C - Laptop (Std./Pro.)

C

Dell Latitude LS, PIII 400MHz, 128MB SDRAM (1 DIMM), 12.0GB EIDE HD, External 3.5" Floppy Drive, External 6X DVD-ROM, Integrated NIC, Integrated 56k Modem, Integrated Sound, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.

Model D - Laptop (Technical)

D

Dell Latitude CPxJ, PIII 650MHz, 128MB SDRAM (1 DIMM), 12.0GB EIDE HD, 3.5" Floppy Drive, 6X DVD-ROM, Xircom RealPort CardBus Ethernet 10/100 + Modem 56k, Integrated Sound, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.

- D1** Add an additional 128MB Non-ECC SDRAM (2 DIMMs, 256MB total)

Dell Orders

California Polytechnic State University

QUANTITIES				MODELS	Unit	ANNUAL PRE-TAX TOTALS			
Total	Proto-	FWP	Staff		Price	FWP	Staff	TOTAL	
type				Model A - Desktop (Std./Pro.) Description and Configurations					
				Dell OptiPlex GX110 Midsize Desktop , PIII 600MHz, 128MB Non-ECC SDRAM (1 DIMM), 13.6GB EIDE HD, 3.5" Floppy Drive, 8X EIDE DVD-ROM, Internal Zip 250, Integrated NIC, Integrated Intel 3D Graphics, Dell P780 UltraScan Trinitron Monitor, Sound Blaster AudioPCI (64 Voice) for use with Optical Device, Harmon/Kardon Speakers, Quietkey Keyboard, Dell Mouse, Dell Mouse Pad, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.					
71	1	60	10	A	Unchanged	\$1,593	\$32,391	\$5,310	\$37,701
3		3		A1	Add an additional 128MB Non-ECC SDRAM (2 DIMMs, 256MB total)	\$1,773	\$1,773	\$0	\$1,773
1		1		A2	Substitute a Dell P991 Monitor	\$1,753	\$584	\$0	\$584
3		3		A3	Add an additional 128MB (2 DIMMs, 256MB total) and substitute a Dell P991 Monitor.	\$1,933	\$1,933	\$0	\$1,933
5		5		A4	Image with Windows NT (to be provided by CPSLO under site license, not DELL)*	\$1,593	\$2,655	\$0	\$2,655
0				A5	Image w/Win NT*, add an additional 128MB Non-ECC SDRAM (2 DIMMs, 256MB total)	\$1,773	\$0	\$0	\$0
0				A6	Image w/Win NT*, substitute a Dell P991 Monitor	\$1,753	\$0	\$0	\$0
0				A7	Image w/Win NT*, add an add'l 128MB (2 DIMMs, 256MB total) and sub. a Dell P991 Monitor.	\$1,933	\$0	\$0	\$0
				Model B - Mini-Tower (Technical) Description and Configurations					
				Dell OptiPlex GX110 Mini-Tower , PIII 733MHz, 256MB Non-ECC SDRAM (2 DIMMs), 20.0GB EIDE HD, 3.5" Floppy Drive, 8X EIDE DVD-ROM, Internal Zip 250, Integrated NIC, Integrated Intel 3D Graphics, Dell P991 Monitor, Sound Blaster AudioPCI (64 Voice) for use with Optical Device, Harmon/Kardon Speakers, Quietkey Keyboard, Dell Mouse, Dell Mouse Pad, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.					
32	1	31		B	Unchanged	\$2,241	\$23,904	\$0	\$23,904
0				B1	Add an additional 128MB Non-ECC SDRAM (2 DIMMs, 384MB total)	\$2,481	\$0	\$0	\$0
3		3		B2	Substitute a Dell P1110 Monitor	\$2,686	\$2,686	\$0	\$2,686
0				B3	Add an additional 128MB (2 DIMMs, 384MB total) and substitute a Dell P1110 Monitor.	\$2,926	\$0	\$0	\$0
23		23		B4	Image with Windows NT (to be provided by CPSLO under site license, not DELL)*	\$2,241	\$17,181	\$0	\$17,181
0				B5	Image w/Win NT*, add an additional 128MB Non-ECC SDRAM (2 DIMMs, 384MB total)	\$2,481	\$0	\$0	\$0
1		1		B6	Image w/Win NT*, substitute a Dell P1110 Monitor	\$2,686	\$895	\$0	\$895
0				B7	Image w/Win NT*, add an add'l 128MB (2 DIMMs, 384MB total) and sub. a Dell P1110 Monitor.	\$2,926	\$0	\$0	\$0
				Model C - Laptop (Std./Pro.) Description and Configurations					
				Dell Latitude LS , PIII 400MHz, 128MB SDRAM (1 DIMM), 12.0GB EIDE HD, External 3.5" Floppy Drive, External 6X DVD-ROM, Integrated NIC, Integrated 56k Modem, Integrated Sound, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.					
5	1	4		C	Unchanged	\$2,636	\$4,393	\$0	\$4,393
				Model D - Laptop (Technical) Description and Configurations					
				Dell Latitude CPxJ , PIII 650MHz, 128MB SDRAM (1 DIMM), 12.0GB EIDE HD, 3.5" Floppy Drive, 6X DVD-ROM, Xircom RealPort CardBus Ethernet 10/100 + Modem 56k, Integrated Sound, Windows 98 2nd Ed. FAT32, and 3 Years of Next Business Day On-Site Service.					
8	1	7		D	Unchanged	\$3,578	\$9,541	\$0	\$9,541
1		1		D1	Add an additional 128MB Non-ECC SDRAM (2 DIMMs, 256MB total)	\$3,941	\$1,314	\$0	\$1,314
				External Zip 250 Drives for Dell Laptops and all Apple Models					
127	2	120	5		Add-on for Models C, D, E, F, G, H, and I	\$159	\$6,466	\$265	\$6,731
ANNUAL PRE-TAX TOTALS:						\$105,717	\$5,575	\$111,292	

Apple Macintosh Configurations

California Polytechnic State University

FWP :: Summer 2000

FINAL



	Model E (Standard)	Model F (Professional)	Model G (Technical)	Model H (Std. & Pro)	Model I (Technical)
Model	iMac DV SE	G4 Tower	G4 Tower	iBook SE	PowerBook
Processor	400MHz G3	400MHz G4	500MHz G4	366MHz G3	500MHz G3
RAM (MB)	128	128	256	128	128
Hard Disk (GB)	13	20	20	6	12
Floppy	None	None	None	None	None
Removable Media	Built-in DVD, Ext. USB Zip 250	Built-in DVD, Ext. Zip 250	Built-in DVD, Ext. Zip 250	Built-in CD, Ext. USB Zip 250	Built-in DVD, Ext. USB Zip 250
Ports	2 USB, 2 FW	2 USB, 3 FW	2 USB, 3 FW	1 USB	2 USB, 2 FW, 1 PC
Ethernet	Built-in 10/100	Built-in 10/100	Built-in 10/100	Built-in 10/100	Built-in 10/100
Modem	Built-in 56K	None	None	Built-in 56K	Built-in 56K
Sound	Built-in Speakers	Ext. Speakers (\$13)	Ext. Speakers (\$13)	Built-in Speakers	Built-in Speakers
Nylon Carrying Case	n/a	n/a	n/a	Included (\$33)	Included (\$33)
Monitor	Built-in 15"	Apple Studio 17"	Apple Studio 17"	Built-in 12"	Built-in 14"
3 year warranty	Included	Included	Included	Included	Included

Apple Models

California Polytechnic State University
FWP Phase IV :: Summer 2000

Model E - Desktop (Standard)

- E** **iMac DV Special Edition (Z01R)**, Graphite (065-2066), 128MB SDRAM-1 DIMM (065-2042), Accessory Kit (065-1945)
- E1** Modified to upgrade from 128 to 256MB of total RAM

Model F - Mini-Tower (Professional)

- PowerMac G4 (Z01W)**, 400MHz PowerPC G4-1MB L2 Cache (065-2094), USB Keyboard (065-1995), 20GB Ultra ATA Drive (065-1956), 10/100BASE-T Ethernet built-in (065-2136), RAGE 128 Pro Card-16MB SDRAM (065-2100), DVD-ROM Drive w/DVD-Video (065-1902), 128MB SDRAM-1 DIMM (065-1527), Accessory Kit (065-2121), Apple Studio
- F** Display-16" viewable (M6221LL/B)
- F1** Modified to upgrade RAM to 256MB total
- F3** Modified to upgrade RAM to 256MB total and to 21" monitor

Model G - Mini-Tower (Technical)

- PowerMac G4 (Z01W)**, 500MHz PowerPC G4-1MB L2 Cache (065-2090), USB Keyboard (065-1995), 20GB Ultra ATA Drive (065-1956), 10/100BASE-T Ethernet built-in (065-2136), RAGE 128 Pro Card-16MB SDRAM (065-2100), DVD-ROM Drive w/DVD-Video (065-1902), 256MB SDRAM-1 DIMM (065-1608), Accessory Kit (065-2121), Apple Studio
- G** Display-16" viewable (M6221LL/B)
- G2** Modified to upgrade to 21" monitor

Model H - Laptop (Std./Pro.)

- iBook 366MHz Special Edition (Z02B)**, Graphite (065-2159), CD-ROM Drive (065-1954), 6GB IDE Drive (065-2079),
- H** 128MB SDRAM-1 SO DIMM (065-2155)

Model I - Laptop (Technical)

- I** **PowerBook 500MHz 14.1 " TFT (M7633LL/A)**

Apple Orders

California Polytechnic State University
FWP Phase IV :: Summer 2000

QTY				MODELS	Unit Price	ANNUAL PRE-TAX TOTALS			
Total	Proto-	FWP	Staff			FWP	Staff	TOTAL	
				Model E - Desktop (Standard) Description and Configurations					
				iMac DV Special Edition (Z01R) , Graphite (065-2066), 128MB SDRAM-1 DIMM (065-2042), Accessory Kit (065-1945), 3 Year Apple Protection Plan-iMac (S1412Z/A)					
12	1	10	1	E Order No. 672901 (Same as above)	\$1,568	\$5,749	\$523	\$6,272	
5		5		E1 Order No. 672906 (modified to upgrade from 128 to 256MB of total RAM)	\$1,839	\$3,065	\$0	\$3,065	
				Model F - Mini-Tower (Professional) Description and Configurations					
				PowerMac G4 (Z01W) , 400MHz PowerPC G4-1MB L2 Cache (065-2094), USB Keyboard (065-1995), 20GB Ultra ATA Drive (065-1956), 10/100BASE-T Ethernet built-in (065-2136), RAGE 128 Pro Card-16MB SDRAM (065-2100), DVD-ROM Drive w/DVD-Video (065-1902), 128MB SDRAM-1 DIMM (065-1527), Accessory Kit (065-2121), Apple Studio Display-16" viewable (M6221LL/B), 3 Year AppleCare-PowerMac + Display (M7811LL/A)					
45		45		F Order No. 672918 (Same as above)	\$2,402	\$36,030	\$0	\$36,030	
11		7	4	F1 Order No. 672942 (modified to upgrade from 128 to 256MB of total RAM)	\$2,699	\$6,298	\$3,599	\$9,896	
0				F2 Order No. 672952 (modified to upgrade from 17" to 21" monitor)	\$3,402	\$0	\$0	\$0	
1		1		F3 Order No. 672957 (modified to upgrade RAM and monitor)	\$3,699	\$1,233	\$0	\$1,233	
				Model G - Mini-Tower (Technical) Description and Configurations					
				PowerMac G4 (Z01W) , 500MHz PowerPC G4-1MB L2 Cache (065-2090), USB Keyboard (065-1995), 20GB Ultra ATA Drive (065-1956), 10/100BASE-T Ethernet built-in (065-2136), RAGE 128 Pro Card-16MB SDRAM (065-2100), DVD-ROM Drive w/DVD-Video (065-1902), 256MB SDRAM-1 DIMM (065-1608), Accessory Kit (065-2121), Apple Studio Display-16" viewable (M6221LL/B), 3 Year AppleCare-PowerMac + Display (M7811LL/A)					
16	1	15		G Order No. 672967 (Same as above)	\$3,329	\$17,755	\$0	\$17,755	
0				G1 Order No. 672974 (modified to upgrade from 256 to 384MB of total RAM)	\$3,626	\$0	\$0	\$0	
2		2		G2 Order No. 672981 (modified to upgrade from 17" to 21" monitor)	\$4,329	\$2,886	\$0	\$2,886	
0				G3 Order No. 672985 (modified to upgrade RAM and monitor)	\$4,626	\$0	\$0	\$0	
				Model H - Laptop (Std./Pro.) Description and Configurations					
				iBook 366MHz Special Edition (Z02B) , Graphite (065-2159), CD-ROM Drive (065-1954), 6GB IDE Drive (065-2079), 128MB SDRAM-1 SO DIMM (065-2155), 3 Year AppleCare Protection Plan - iBook (S1414Z/A)					
7	1	6		H Order No. 672987 (Same as above)	\$2,071	\$4,832	\$0	\$4,832	
				Model I - Laptop (Technical) Description and Configurations					
				PowerBook 500MHz 14.1 " TFT (M7633LL/A) , 3 Year AppleCare Protection Plan - PowerBook G3					
9	1	8		I Order No. 672989 (Same as above)	\$3,388	\$10,164	\$0	\$10,164	
0				I1 Order No. 672996 (modified to upgrade from 128 to 256MB of total RAM)	\$3,748	\$0	\$0	\$0	
108		5			ANNUAL PRE-TAX TOTALS:		\$88,012	\$4,121	\$92,133